PSA-ÜBERPRÜFUNG

ALLGEMEINE ÜBERPRÜFUNG

A. KENNZEICHNUNG

CE XXXX Kennzeichnung und Zuordnung zur PD. Angaben zur Kennzeichnung sind den Einzelnachweisen der Normenliste zu entnehmen. Siehe Kapitel *Normen und Kennzeichnung*

Kennzeichnung ist vollständig vorhanden und das Produkt ist der PD/ED zuzuordnen.

Kennzeichnung ist unvollständig, die Rückverfolgbarkeit ist über das Produktdatenblatt möglich, z.B. durch individuelle Markierung.
Dann ist zu prüfen, ob die für die Anwendung wichtigen Informationen der Kennzeichnung vorhanden sind.

Produkt ist individuell markiert und über PD/ED zuzuordnen.

Kennzeichnung ist nicht vorhanden oder nicht mehr lesbar. Rückverfolgbarkeit ist nicht gegeben.

Nicht lesbar

Nicht lesbar

Kennzeichnung nicht vorhanden

B. GEBRAUCHSANLEITUNG (GAL)

Die GAL liefert wichtige Informationen zu jedem einzelnen Produkt.

Gebrauchsanleitung ist vorhanden.

Gebrauchsanleitung kann wiederbeschafft werden.
Quelle ist die Homepage des Herstellers.

Gebrauchsanleitung ist nicht vorhanden und kann nicht wieder beschafft werden.

C. LEBENSDAUER

Die Angabe zur Lebensdauer des Produkts in der GAL nachlesen und mit Herstellerdatum am Produkt vergleichen (wenn vorhanden).

Das Produkt befindet sich innerhalb der Lebensdauerangabe des Herstellers.

\+

Das Produkt befindet sich nicht mehr innerhalb der Lebensdauerangabe des Herstellers.

Die Lebensdauerangabe des Herstellers ist überschritten.

D. RÜCKRUFE / ÜBERPRÜFUNGSAUFRUFE

Folgende Internetseiten bilden zurückgerufene PSA-Produkte ab.
www.rapex.de
www.baua.de
www.alpenverein.de/Bergsport/Sicherheit/Warnhinweise/

Zusätzlich können Informationen zum Rückruf auf der Herstellerseite abgerufen werden.
Eine Schlagwortsuche über die Eingabe von „Produktname“ und „Rückruf“ im Internet ist ebenfalls möglich.

Es ist kein Rückruf bekannt.

Das Produkt ist von einem Rückruf betroffen. Es sind die Anweisungen des Herstellers zu befolgen.

Sicht- und Funktionsprüfung

Prüfanweisungen finden Sie ab Seite 78.

Weiter zum nächsten Prüfschritt

Mängel können behoben werden/Individuelle Entscheidung

Produkt muss aus dem Verkehr gezogen werden

copyright EDELRID

PRÜFANWEISUNG SICHT- UND FUNKTIONSPRÜFUNG

12. EISSCHRAUBEN

Gültig für EN 568

- Produkt ist einwandfrei. Es weist lediglich tolerable Gebrauchsspuren auf, hat keine relevanten Schäden und die Funktion ist gegeben.
- Produkt weist geringfügige oder reparable Mängel auf. Diese können entweder instandgesetzt oder müssen hinsichtlich produktspezifischer Toleranzen, Einsatzbereich oder Historie spezifisch bewertet werden.
- Produkt weist schwerwiegende und irreparable Schäden oder starken Verschleiß auf. Sicherheit und Funktion des Produktes kann nicht wiederhergestellt werden.

Verankerungsmittel im Eis



Eisschraube
gem. EN 568,
Laser Speed, Petzl



Eisschraube
gem. EN 568,
Turbo Ice Screw, Black Diamond



Eishaken
Snarg

EISSCHRAUBEN

Das Verankerungsmittel ist optisch in Ordnung.
Deformationen oder andere Zeichen von massiver Krafteinwirkung sind nicht ersichtlich.

Flugrost/Korrosion sichtbar

→ *Siehe Anleitung zur Instandsetzung „EISSCHRAUBEN“*



Zacken sind stumpf

→ *Siehe Anleitung zur Instandsetzung „EISGERÄTE“*



Zahn ausgebrochen

Deformation

PPE INSPECTION

GENERAL INSPECTION

A. MARKING

CE XXXX Marking and assignment to the PD. Information about marking can be found in the itemized lists under the summarized standards. See the *Standards and Marking* section.

All marking is present and the product can be assigned to the PD/UR.

Marking is incomplete but traceability is possible via the product data sheet, e.g., through individual marking.
In this case, it is necessary to check whether the product is labeled with the information that is important for its use.

Product is individually labeled and can be assigned using the PD/UR.

Marking is not present or is no longer legible. Traceability is not possible.

Illegible

Illegible

Marking not present

B. USER MANUAL

The user manual provides important information about every product.

The user manual is available.

The user manual can be re-obtained from the manufacturer's website.

The user manual is not available and cannot be re-obtained.

C. SERVICE LIFE

Check the product service life specified in the user manual and compare it with the date of manufacture on the product (if available).

The product is within the service life specified by the manufacturer.

+

The product is no longer within the service life specified by the manufacturer.

The service life specified by the manufacturer has expired.

D. RECALLS / CALLS FOR INSPECTION

The following websites provide details of recalled PPE products:
www.rapex.de
www.baua.de
www.alpenverein.de/Bergsport/Sicherheit/Warnhinweise/

Information about recalls can also be found on the manufacturer's website.
Alternatively, enter the product name and the term 'recall' in an online search engine.

No recall is known.

The product is subject to a recall. The manufacturer's instructions must be followed.

Visual Inspection and Functional Testing

Inspection instructions are provided from page 78.

Proceed to the next step

Defects can be remedied/individual decision

Product must be withdrawn from service

copyright EDELRID

INSTRUCTIONS FOR VISUAL INSPECTIONS AND FUNCTIONAL TESTING

12. ICE SCREWS

Valid for EN 568

- The product is in good condition with tolerable signs of use only. It is fully functional and no relevant damage has been found.
- The product has minor or repairable defects. These can either be repaired or have to be specifically evaluated based on product-specific tolerances, the area of use, or the history.
- The product shows signs of serious and irreparable damage or severe wear. It cannot be made safe and fully functional again.

Ice Anchors



Ice screw
acc. to EN 568
Laser Speed, Petzl



Ice screw
acc. to EN 568
Turbo Ice Screw, Black Diamond



Ice piton
Snarg

ICE SCREWS

The anchor is visually intact.
There are no visible deformations or other signs of massive force.

Flash rust/corrosion visible

→ *See the repair instructions 'ICE SCREWS'*



Points blunt

→ *See the repair instructions 'ICE TOOLS'*



Tooth broken

Deformation